

MATERIAL SAFETY DATA SHEET

CBN™ Custom-Blend Nutrients

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC – DAY OR NIGHT 1-800-424-9300 Code E419

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

E/TEC
6635 NE 59th Place, Portland, Oregon 97218
Information – 971-222-3616

24-Hour Emergency Phone: 1-800-535-5053
Medical Emergencies: 1-800-301-7976
U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: CBN™ Custom-Blend Nutrients (NutriMax™)

CHEMICAL NAME: Inorganic Nutrient Mixture

CHEMICAL FAMILY: N-P-K Mixed Nutrient

EPA REG. NO.: not applicable

MSDS Revisions: New

Date of Issue: 04-28-08

Supersedes: New

MSDS No.: 014

2. COMPOSITION, INFORMATION ON INGREDIENTS

<u>Chemical Ingredients:</u>	<u>CAS No.</u>	<u>Percent</u>	<u>Hazardous</u>
Ammonium Nitrate	6484-52-2	76.75%	Yes

3. HAZARDS IDENTIFICATION SUMMARY

Emergency Overview

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSION. MAY BE HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

SAF-T-DATA (tm) Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate

Flammability Rating: 1 - Slight

Reactivity Rating: 3 - Severe (Oxidizer)

Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

Storage Color Code: Yellow (Reactive)

Potential Health Effects

Inhalation: May cause irritation to the respiratory tract; symptoms may include coughing, sore throat, and shortness of breath. At high temperatures, exposure to toxic nitrogen oxides decomposition products can quickly cause acute respiratory problems. Inhalation of large amounts causes systemic acidosis and abnormal hemoglobin.

Ingestion: Large oral doses of nitrates may cause dizziness, abdominal pain, vomiting, bloody diarrhea, weakness, convulsions, and collapse. Harmful if swallowed. May cause methemoglobinemia resulting in cyanosis.

Skin Contact: Causes irritation to skin. Symptoms include redness, itching, and pain.

Eye Contact: Causes irritation, redness, and pain.

Chronic Exposure: Small repeated oral doses of nitrates may cause weakness, depression, headache, and mental impairment.

Aggravation of Pre-existing Conditions: No information found.

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact: Remove any contaminated clothing. Wash skin with soap and water for at least 15 minutes. Get medical attention if irritation develops or persists.

Eye Contact: Wash thoroughly with running water. Get medical advice if irritation develops.

5. FIRE FIGHTING MEASURES

Fire: Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. May support combustion in an existing fire.

Explosion: Contact with oxidizable substances may cause extremely violent combustion. Sealed containers may rupture when heated. Sensitive to mechanical impact.

Fire Extinguishing Media: Use flooding amounts of water in early stages of fire involving ammonium nitrate. Use any means suitable for extinguishing surrounding fire.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Remove sources of heat and ignition.
 Collected waste may be transferred to a closed, preferably metal, container and sent to a RCRA approved waste disposal facility.
 Alternatively, sweep spill into noncombustible container and dissolve in large amount of water. Add soda ash. Mix and neutralize with 6M-HCl. Neutralized sludge may be sent to an approved waste disposal facility.

7. HANDLING AND STORAGE

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Store in a dry location separate from combustible, organic or other readily oxidizable materials. Avoid storage on wood floors. Remove and dispose of any spilled dichromates; do not return to original containers. Do not store above 54C (130F) preferably below 30C (86F). Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Airborne Exposure Limits: None established.
Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.
Personal Respirators (NIOSH Approved): For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.
Skin Protection: Wear protective gloves and clean body-covering clothing.
Eye Protection: Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

<p>Appearance: Colorless crystals. Odor: Odorless. Solubility: 118g/100g water @ 0C (32F). Specific Gravity: 1.73 @ 23C (77F) pH: 5.4 % Volatiles by volume @ 21C (70F): 0</p>	<p>Boiling Point: 210C (410F) Decomposes. Melting Point: 170C (338F) Vapor Density (Air=1): No information found. Vapor Pressure (mm Hg): No information found. Evaporation Rate (BuAc=1): No information found.</p>
---	---

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage. Hygroscopic.
Hazardous Decomposition Products: Emits nitrous oxides when heated to decomposition. Liberates ammonia in reaction with strong alkalis.
Hazardous Polymerization: Will not occur.
Incompatibilities: Aluminum, antimony, chromium, copper, iron, lead, magnesium, manganese, nickel, zinc, brass, oil, charcoal, organic material, acetic acid, ammonium chloride, bismuth, cadmium, chlorides, cobalt, phosphorus, potassium and ammonium sulfate, sodium, sodium hypochlorite, sodium perchlorate, sodium-potassium alloy, and sulfur.
Conditions to Avoid: Heat, flame, ignition sources, dusting and incompatibles. Moisture and combustible materials. Shock sensitive.

11. TOXICOLOGICAL INFORMATION

Oral rat LD50: 2217 mg/kg.
 -----\Cancer Lists\-----

Ingredient	---NTP Carcinogen---		
	Known	Anticipated	IARC Category
Ammonium Nitrate (6484-52-2)	No	No	None

12. ECOLOGICAL INFORMATION

Environmental Fate:
 When released into the soil, this material is expected to leach into groundwater. When released into the soil, this material is not expected to evaporate significantly. When released into water, this material is expected to readily biodegrade.
Environmental Toxicity:
 No information found.

13. DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. TRANSPORT INFORMATION

Domestic (Land, D.O.T.)

Proper Shipping Name: AMMONIUM NITRATE
Hazard Class: 5.1
UN/NA: UN1942
Packing Group: III
Information reported for product/size: 22.7KG

International (Water, I.M.O.)

Proper Shipping Name: AMMONIUM NITRATE
Hazard Class: 5.1
UN/NA: UN1942
Packing Group: III
Information reported for product/size: 22.7KG

15. REGULATORY INFORMATION

-----\Federal, State & International Regulations - Part 1\-----				
Ingredient	-SARA 302-		-----SARA 313-----	
	RQ	TPQ	List	Chemical Catg.
Ammonium Nitrate (6484-52-2)	No	No	No	Nitrate cmpd

-----\Federal, State & International Regulations - Part 2\-----			
Ingredient	CERCLA	-RCRA-	-TSCA-
		261.33	8(d)
Ammonium Nitrate (6484-52-2)	No	No	No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
 SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No
 Reactivity: Yes (Pure / Solid)

Australian Hazchem Code: 1[S]

Poison Schedule: None allocated.

WHMIS: This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. OTHER INFORMATION

NFPA Ratings: Health: **0** Flammability: **0** Reactivity: **3** Other: Oxidizer
Label Hazard Warning: DANGER! STRONG OXIDIZER.
 CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE OR EXPLOSION. MAY BE HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.
Label Precautions: Keep from contact with clothing and other combustible materials. Do not store near combustible materials. Store in a tightly closed container. Avoid breathing dust. Avoid contact with eyes, skin and clothing. Remove and wash contaminated clothing promptly.

Use only with adequate ventilation. Wash thoroughly after handling. Store preferably below 30C
Label First Aid: If inhaled, remove to fresh air. Get medical attention for any breathing difficulty. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. In all cases, get medical attention.
Product Use: Microbial Nutrient.
Revision Information: New

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct, ETEC, the manufacturer or the seller makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving it will make their own determination as to its suitability for their purposes prior to use.

The product covered by this information sheet is furnished "as is" by ETEC, the manufacturer or the seller, and is subject only to the warranties, if any, that appear on the product's label or are otherwise expressly provided herein.

Except as expressly provide on the product's label or otherwise provided herein, no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, are made by ETEC, the manufacturer or the seller with regard to the product or use of the product, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

Except as expressly stated herein, ETEC, the manufacturer or seller makes no warranty of results to be obtained by use of the product covered by this information. Buyers or users exclusive remedy and the total liability of ETEC, the manufacturer or the seller, shall be limited to damages not exceeding the cost of the product. No agent or employee of ETEC, the manufacturer or the seller is authorized to amend the terms of this warranty disclaimer or the product's label or to make a representation or recommendation different from or inconsistent with the label of this product.

IN NO EVENT SHALL ETEC, THE MANUFACTURER OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.